

A nighttime photograph of a city skyline, likely Singapore, viewed from an elevated position. In the foreground, a swimming pool is visible, illuminated with a blue-green light. The city lights are reflected in the water. A white curved line separates the logo area from the main image.

cdm 
stravitec

Making your world a quieter place

SWIMMING POOL ISOLATION SYSTEMS
REDUCING STRUCTURAL VIBRATION AND NOISE
FROM POOLS AND SPAS

Rooftop Pools & Spas

A Potential Noise Concern

Swimming pools and spas typically occurred in single-storey commercial buildings, but today they are more common in high-rise residential buildings as space becomes increasingly scarce.

Podium pools present a number of design challenges compared to in-ground swimming pools. As the risk of installation errors is considerably higher, they require additional construction measures. One of those risks, is the transmission of structure-borne noise, associated with people diving and playing, as well as pool mechanical equipment, including massage jets, integrated waterfalls, and pumps. A specialist approach, incorporating an elastic suspension for the pool's structure, covering both bottom and walls of the pool shell, is required and offers several advantages.



Increased user comfort in adjacent spaces



Added value to hotels, commercial & residential buildings



Efficient solutions for all types of swimming pools & support structures



Long-lasting & durable solutions



MAIN DESIGN CONSIDERATIONS:

- Required level of isolation (and consequently the natural frequency of the solution to be used)
- Imposed loads (vertical, horizontal and variable loads)
- Maximum permissible creep to avoid problems with piping and floor levels and to ensure long-term performance
- Maximum permissible differential deflection (empty vs full swimming pool)
- Systems compatibility (thermal insulation, waterproofing, lining, drainage, lighting, skimmer, etc.)
- Adjacent technical areas (pump rooms, balancing tanks, and other mechanical equipment)

Q&E Management

CDM Stravitec nv operates ISO 9001:2015 and ISO 14001:2015 approved quality & environment management systems.



Pool Isolation Systems Selection Guide

Various Stravibase and Stravifloor solutions are well suited for the effective decoupling of swimming pools and spas. The selection of the right solution is based on the natural frequency and type of support structure available.

For more information on our Stravibase and Stravifloor solutions, please visit www.cdm-stravitec.com.



5

Stravibase Mat

Low-profile roll-out isolation solution for lateral decoupling.

Natural frequency:
Elastomeric mats: $\geq 9\text{Hz}$

Continuous Support Structure

Discrete Support Structure

Discrete Isolation

Full-surface Isolation

Punctual Isolation

Linear Isolation

1




Stravifloor Deck*

Discrete solution available with either elastomeric pads or springs as resilient support.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$
Steel springs: $\geq 2.5\text{Hz}$

*Other Stravifloor systems, such as the premanufactured Stravifloor Prefab system, may also be suitable for the acoustic decoupling of swimming pools and spas. The correct selection should always be made according to the project-specific requirements.



4b




Stravibase SpringBox

Pre-compressed spring bearings with high load capacity.

Natural frequency:
Steel springs: $\geq 2.5\text{Hz}$

2



Stravifloor Mat

Low-profile roll-out isolation solution made of regenerated materials.

Natural frequency:
Elastomeric mats: $\geq 9\text{Hz}$

3a



Stravibase SEB

Elastomeric bearings to accommodate high acoustic design loads.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$

3b




Stravibase SEB

Structural elastomeric bearing for lateral decoupling.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$

4a



Stravibase VHS

Very high stress bearings designed to support large loads whilst being significantly smaller in plan dimensions than traditional elastomer bearings.

Natural frequency:
Elastomeric pads: $\geq 8\text{Hz}$

References


At CDM Stravitec, we take pride in the quality of work that we produce. Since the founding of our company in 1951, we have made many contributions to the intelligent design and noise mitigation of swimming pools, spas, and the mechanical components with our engineered products. Take a look at some of our latest projects carried out with well-known brands and reputable acoustical consultants.

Myriad by SANA Hotels
Lisbon (PT)



© SANA Hotels

Rothschild Tower
Tel Aviv (IL)



© Lior Teitler Photography



© Hyatt Hotels

Grand Hyatt Hotel
Kuala Lumpur (MY)



© Address Sky View

Address Sky View
Dubai (UAE)



© Ateliers Jean Nouvel

Rosewood Hotel
São Paulo (BR)

cdm stravitec

Making your world a quieter place

We have qualified engineers in noise and vibration based at different locations around the world – they are only a phone call away. For general enquiries please contact our head office or visit our website.

CDM Stravitec

Reutenbeek 9-11
3090 Overijse
Belgium
T +32 2 687 79 07
info@cdm-stravitec.com
www.cdm-stravitec.com



Version 2023/1 - © 2023 CDM Stravitec n.v. All rights reserved.

DISCLAIMER

This information is accurate to the best of our knowledge at the time of issue. Information, data and recommendations provided are based on industry accepted testing and prior product usage. It is intended as descriptive of the general capabilities and performance of our products and does not endorse applicability for any particular project. We reserve the right to change products, performance, and data without notice. This document replaces all information supplied prior to the publication hereof.