




Notes

System Stravifloor Jackup-E (EN)

1. The structural floor should be clean, flat and leveled (F_{25} as minimum - meaning a single $\frac{1}{4}$ " (6 mm) defect across 10-feet (3m). Subfloor shall be dry and clean of any debris (all dust, dirt, grease and foreign materials) before further installation.
2. A rigid connection should be avoided between the floating slab and all vertical elements (as walls, columns, ...) by adding a void or a layer of lateral isolation between the isolated slab and the vertical element.

For more detailed information ask for Stravifloor Jackup-E Installation Manual.

MINIMUM SYSTEM TOTAL BUILD-UP HEIGHT (BEFORE DEFLECTION): 3-3/4" (95MM)

Legend

First submission	2024/12/17	RTH	A
Revision Description	Date	Drawn	Rev.

Load table

Drawing based on



100 Sunrise Avenue, Unit 202
Toronto, Ontario, M4A 1B3
Canada
PH: +1 905 265 7401
info-ca@cdm-stravitec.com
www.cdm-stravitec.com

This drawing is exclusive property of CDM Stravitec, any reproduction or communication to third parties without prior authorisation is prohibited.

STRAVIFLOOR JACKUP-E WITH ELASTOMERIC BEARINGS


TYPICAL CROSS SECTION

Drawn:
RTH 2024/12/17
Design:
MRO
Check:
MRO

Scale:
1" = 1'

Format:





Notes

System Stravifloor Jackup-E (EN)

1. The structural floor should be clean, flat and leveled (F_{25} as minimum - meaning a single $\frac{1}{4}$ " (6 mm) defect across 10-feet (3m). Subfloor shall be dry and clean of any debris (all dust, dirt, grease and foreign materials) before further installation.
2. A rigid connection should be avoided between the floating slab and all vertical elements (as walls, columns, ...) by adding a void or a layer of lateral isolation between the isolated slab and the vertical element.

For more detailed information ask for Stravifloor Jackup-E Installation Manual.

MINIMUM SYSTEM TOTAL BUILD-UP HEIGHT (BEFORE DEFLECTION): 3-3/4" (95MM)
+ INSULATION MATERIAL THICKNESS

Legend

First submission	2024/12/17	RTH	A
Revision Description	Date	Drawn	Rev.

Load table

Drawing based on



100 Sunrise Avenue, Unit 202
Toronto, Ontario, M4A 1B3
Canada
PH: +1 905 265 7401
info-ca@cdm-stravitec.com
www.cdm-stravitec.com

This drawing is exclusive property of CDM Stravitec, any reproduction or communication to third parties without prior authorisation is prohibited.

STRAVIFLOOR JACKUP-E WITH ELASTOMERIC BEARINGS, OVERHEIGHT AND INSULATION MATERIAL

Typical Cross Section

Drawn:
RTH 2024/12/17
Design:
MRO
Check:
MRO

Scale:
1" = 1'

Format:

